

## Tripods

Listed below are some of the current/most popular camera tripods on the market. If you can't find what you're looking for on the list below, get in touch and we can put a quote together for you.

**Please call or email for the latest pricing.**



**Manfrotto**



### **Nitrotech 612 Head with 645 Aluminium Tripod**

**Key Features:**

- Continuous counterbalance from 4 to 12 kgs
- 100mm half ball, compatible with a 75mm half ball adapter
- FAST Lever Lock & 3-angle selection mechanism for easy set up
- Equipped with spiked feet with rubber overshoes for a firm grip
- Highest safety standards ensured by UNI/PdR 105:2021 compliance



### **Nitrotech 608 Head with 645 Aluminium Tripod**

**Key Features:**

- Continuous counterbalance from 0 to 8 kgs
- 100mm half ball with a 75mm half ball adapter
- FAST Lever Lock & 3-angle selection mechanism for easy set up
- Equipped with spiked feet with rubber overshoes for a firm grip
- Highest safety standards ensured by UNI/PdR 105:2021 compliance

# VISUAL **IMPACT**

n o r t h e r n



## **504X Head with 645 Aluminium Tripod**

### **Key Features:**

- Fluid video head with 4-step counterbalance system up to 6.5 kg
- Maximum versatility thanks to flat base
- FAST Lever Lock & 3-angle selection mechanism for easy set up
- 100 mm half ball, compatible with a 75 mm half ball adapter.
- Highest safety standards ensured by UNI/PdR 105:2021 compliance



## **502 Head with Aluminium Tripod**

### **Key Features:**

- Smoothly pan and tilt thanks to a fluid drag system
- Effectively counterbalance the tilt movement
- Connect and set up fast thanks to the sliding plate
- Get precise angling with middle telescopic spreader
- Highest safety standards ensured by UNI/PdR 105:2021 compliance

# VISUAL IMPACT

n o r t h e r n

## MILLER



### SkyX 8 HD 2 Stage Carbon Fibre

#### Key Features:

- 7 selectable fluid pan-tilt drag positions + 0
- 16 selectable counterbalance positions
- Payloads from 4.5-40kg (9.9-88lbs).
- Controls all in one location; Designed for fast, easy and practical use
- 150mm alloy bowl
- 1-stage flip lock leg extension
- Lightweight carbon fibre tubing
- Comes with mid-level spreader & rubber feet.
- 3 year warranty



### System 4136 Versa CXV10 SII

#### Key Features:

- Affordable, Stable, Robust.
- 100mm ball levelling.
- Perfect for payloads from 0-12kg (26.4bs).
- 15+0 CB Plus selectable counterbalance positions.
- Ergonomically located CB Plus switch.
- 5+0 selectable positions of fluid pan and tilt drag.
- High speed independent 1-stage leg locks
- Durable black anodised alloy tubing
- Comes with ground spreader
- Comes with 1-stage tripod bag
- 3 year warranty

# VISUAL **IMPACT**

n o r t h e r n

## CiNX 3 HDC 1 Stage Alloy



### Key Features:

- Fluid drag system with smooth start and soft stop technology.
- 5 selectable positions of fluid pan and tilt drag + 0.
- 16 positions of counterbalance.
- Perfect for payload range from 1kg (2.2lbs) up to 19kg (41.8lbs).
- Precise floating pan-tilt calliper locks ensure bounce free on-off performance.
- Integrated 100mm bowl.
- 1-stage rotary lock leg extension.
- Heavy duty black anodised alloy tubing.
- Integrated stainless steel spikes.
- Comes with mid-level spreader.
- 3 years warranty.

## CiNX 5 HD 100 2 Stage Carbon Fibre



### Key Features:

- Fluid drag system with smooth start and soft stop technology.
- 7 selectable positions of fluid pan and tilt drag + 0.
- 16 positions of counterbalance.
- Perfect for payload range from 2-21kg (4.4-46.2lbs).
- Precise floating pan-tilt calliper locks ensure bounce free on-off performance.
- Integrated 100mm bowl.
- 2-stage flip lock leg extension.
- Lightweight carbon fibre tubing.
- Split rigid carry handle.
- Comes with mid-level spreader.
- Integrated stainless steel spikes.
- 3 years warranty.

# VISUAL **IMPACT**

n o r t h e r n



**Ronford-Baker**  
CAMERA SUPPORT TECHNOLOGY

## Atlas Balanced Fluid Head



### Key Features:

- Front box mount
- 180 Degrees Tilt
- Smooth positive braking
- Engineered for quality & strength
- Durable construction
- 150mm Ball or Mitchell fitting
- Easy to attach and use

## Atlas 50 Fluid Head



### Key Features:

- Tilt range + & - 90 degrees
- Pan range 360 degrees continuous Pan bar mounts.
- Two on ratchet discs
- Lifting handles integrated
- Head bases 150 m/m or Mitchell ( adaptor)

## Atlas 0.4 Balanced Fluid Head



### Key Features:

- Tilt range +&-60°
- Pan range 360° continuous
- Two telescopic pan bars mounted on Rosettes
- Head base 150mm ball or Mitchell

## Atlas 7 Fluid Head MkIV



### Key Features:

- Modular construction featuring, identical fluid units for pan, tilt, 3rd & 4th axis
- Full 2-3 axes setup in minutes
- The fluid units have 15 variations of fluid control, plus zero (fluid free) positions at both ends of the scale
- All fluid units are capable of 360° rotation

# VISUAL IMPACT

n o r t h e r n



## Heavy Duty

### Key Features:

- Available in Tall, Short & Mini size options
- Mitchell top plate as standard. 150mm bowl supplied on request
- Heavy Duty Tripod
- Aluminium Construction
- Polished and anodised tubes
- Stainless Steel spikes to feet
- Durable and lightweight



## Medium Duty

### Key Features:

- Available in Tall, Medium & Short size options
- 150mm bowl as standard. Mitchell top plate supplied on request
- Medium Duty Tripod
- Aluminium Construction
- Polished and anodised tubes
- Stainless Steel spikes to feet
- Durable and lightweight



## Lightweight Duty

### Key Features:

- Available in 2-Stage, Tall & Short size options
- 150mm bowl as standard. Mitchell top plate or 100mm bowl supplied on request
- Lightweight Tripod
- Aluminium Construction
- Polished and anodised tubes
- Stainless Steel spikes to feet
- Durable and lightweight



## Low Angle

### Key Features:

- 150cm or 100mm bowl. Other fittings can be supplied on request.
- Low angle tripod
- Aluminium Construction
- Polished and anodised tubes
- Stainless Steel spikes to feet
- Durable and lightweight

# VISUAL **IMPACT**

n o r t h e r n



**sachtler**



## System Cine 20 HD CF MS

### Key Features:

- Sachtler Cine System with carbon fibre tripod
- Supports camera setups from 2-22kg (4-48lb)
- SpeedBalance: 16 steps with boost button
- 7 steps of pan & tilt drag
- Sideload platform
- 2-stage heavy-duty carbon fibre tripod
- Soft case, mid-level spreader & front pan bar included



## System Cine 30 EFP CF MS

### Key Features:

- Versatile Sachtler Cine System
- Supports camera setups from 3-32kg (7-71lb)
- SpeedBalance: 18 steps with boost button
- 7 steps of pan and tilt drag
- Sideload platform
- Lightweight 2-stage heavy-duty carbon fibre tripod
- Mid-level spreader, and front pan bar included



## System Cine 30 EFP CF MS

### Key Features:

- Heavy duty Sachtler Cine System
- Supports camera setups from 10 – 50kg (22 – 110 lb)
- 18 steps of counterbalance
- 9 steps of pan and tilt drag
- Sideload platform
- Long single stage heavy-duty aluminium tripod
- Ground spreader & front pan bar included

# VISUAL **IMPACT**

n o r t h e r n



## System aktiv14T flowtech100 MS

### Key Features:

- aktiv14T 100mm Head / Touch & Go Plate
- flowtech100 Tripod, Carbon Fibre
- Payloads Up to 16 kg
- Mid Spreader, SpeedLevel Technology
- SpeedSwap Clamp-Style Base



## System aktiv12T flowtech100 MS

### Key Features:

- aktiv12T 100mm Head / Touch & Go Plate
- flowtech100 Tripod, Carbon Fibre
- Payloads Up to 14 kg
- Mid Spreader, SpeedLevel Technology
- SpeedSwap Clamp-Style Base



## System aktiv10 flowtech100 MS

### Key Features:

- aktiv10 100mm Head / Sideload
- flowtech100 Tripod, Carbon Fibre
- Payloads Up to 12 kg
- SpeedLevel Technology, Mid Spreader
- SpeedSwap Clamp-Style Base



## System aktiv10 flowtech100 MS

### Key Features:

- aktiv8 75mm Sideload Fluid Head
- flowtech75 Tripod, Carbon Fibre
- Payloads Up to 12 kg
- Mid Spreader, SpeedLevel Technology
- SpeedSwap Clamp-Style Base



## Vinten



### **System Vision 100 flowtech100 MS**

#### **Key Features:**

- Durable system designed to perform consistently in ENG, EFP and OB environments;
- Vision 100 pan and tilt head with Perfect Balance, high-performance TF drag and extensive operating temperature



### **System Vision 10AS flowtech100 MS**

#### **Key Features:**

- Vinten Vision 10AS Fluid Head
- flowtech 100mm Carbon Fibre Legs
- Rubber Feet
- Mid-Level Spreader



### **System Vision 8AS flowtech100 MS**

#### **Key Features:**

- Durable system designed to cope with the demands of professional operation in ENG, EFP and OB environments
- Vision 8AS pan and tilt head with Perfect Balance,
- LF fluid drag and side load system for rapid camera attachment

# VISUAL **i**MPACT

n o r t h e r n



## **System Vision blue5 flowtech75 MS**

### **Key Features:**

- Vision Blue head
- Perfect balance for professional production
- High contrast blue LED levelling bubble for quick, precise set-up
- Ergonomic design of all controls for effortless use



## **System Vision blue3 flowtech75 MS**

### **Key Features:**

- Vision Blue head
- Perfect balance for professional production
- High contrast blue LED levelling bubble for quick, precise set-up
- Ergonomic design of all controls for effortless use