

Accessories

Listed below are some of the current/most popular production accessories on the market. If you can't find what you're looking for on the list below, get in touch and we can put a quote together for you.

Please call or email for the latest pricing.







AtomX SSD Mini

Key Features:

- Developed for the Atomos Ninja V monitor recorders
- 1TB & 2TB options available
- Read/Write speed: 560 MB/s / 520 MB/s
- Captures CDNG up to 4K30p, ProRes RAW HQ 5.7K up to 30p, 4K60p & 2K240p
- Supports Stable Stream™ technology to never miss a frame

AV Pro XT CFexpress Type B Mkll

Key Features:

- 660GB & 1320GB options available
- Perfect for RAW 12K+ Production
- Read/Write speed: 1785 MB/s / 1480 MB/s
- Stable Stream[™] Uninterrupted read/write performance throughout the card's capacity
- Advanced thermal management protects the card against overheating
- Minimal power drain & high performance

AV Pro CFexpress Mkll

Key Features:

- 2TB & 4TB* options available
- Adaptive Power Management
- Read/Write speed: 1785 MB/s / 1300 MB/s
- Perfect for RAW 12K+ Production
- Stable Stream[™] Uninterrupted read/write performance throughout the card's capacity
- Advanced thermal management
 protects the card against overheating

*4TB card currently only compatible with Nikon Z9 & RED V-RAPTOR 8K camera.







AV Pro SE CFexpress Type B

<u>Key Features:</u>

- 512GB & 1TB options available
 - All-Rounder Capacities for Advanced Video and Photo Production
 - Read/Write speed: 1785 MB/s / 850 MB/s
 - Stable Stream[™] Uninterrupted read/write performance throughout the card's capacity
 - Advanced thermal management protects the card against overheating
 - Minimal power drain & high performance
 - Host power loss protection

AV Pro XT CFexpress Type B Mkll

Key Features:

- 660GB & 1320GB options available
- Perfect for RAW 12K+ Production
- Read/Write speed: 1785 MB/s / 1480 MB/s
- Stable Stream[™] Uninterrupted read/write performance throughout the card's capacity
- Advanced thermal management protects the card against overheating
- Minimal power drain & high performance
- Host power loss protection

AV Pro SD Mkll V90

Key Features:

- 64GB, 128GB, 256GB & 512GB options available
- SDXC[™] | U3 | Class 10 | V90
- Records Full HD, 4K+ and RAW Video and Photo
- X-ray & Magnetic Proof
- Built-in Write-Protect Switch
- Stable Stream[™]
- Shock, Dust, Water, Temperature Proof

AV Pro SD Mkll V60

Key Features:

- 64GB, 128GB, 256GB, 512GB & 1TB options available
- SDXC™ | U3 | Class 10 | V60
- Records Full HD, 4K+ and RAW Video and Photo
- X-ray & Magnetic Proof
- Built-in Write-Protect Switch
- Shock, Dust, Water, Temperature Proof

Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN

Tel: 01606 42225

Email: <u>sales@vinorth.co.uk</u> Web: <u>www.vinorth.co.uk</u>











USB-C to SATA Adapter

Key Features:

- Easy to handle, lightweight and durable
- USB-C 3.2 Gen 2, 10 Gb/s
- SATA 3.1, 6 Gb/s
- Mac | iPadOS | Windows | Linux | Android

CFexpress Type B Card Reader Mkll

Key Features:

- USB-C 3.2 Gen 2x2, 20 Gb/s based connectivity, USB backwards and physically Thunderbolt 3/4 compatible
- USB Bus-Powered: No additional power source needed
- Endures extreme temperatures and shock, offers ESD and overload protection
- For Use with: macOS, iPadOS, Windows, Linux, Android



Key Features:

- Supports File Offloading at Unrestricted Speeds
- USB-C 3.2 Gen 2, 10 Gb/s (USB & TB3 Compatible)
- Individual Write-Protect Switch per Port
- Shock & Temperatures Proof
- ESD & Overload Protection
- Solid Stack[™]
- Solid Connect™
- USB Bus-Powered
- Mac | iPadOS | Windows | Linux | Android

CFast 2.0 Card Reader

Key Features:

- Supports file off loading at unrestricted speeds
- USB 3.1 Gen 2, 10Gb/s Type-C to C | Type-C to A
- Write protect / shock & temperature proof
- ESD & overload protection
- Solid Stack™
- Solid Connect™
- Bus-poweredCustom engraving
- Mac | Windows | Linux Compatible

Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN

Tel: 01606 42225

Email: <u>sales@vinorth.co.uk</u> Web: <u>www.vinorth.co.uk</u>









<u>LMB 4x5</u>

Key Features:

- Lightweight Matte Box
- Build your own, or pre-built sets available
- Holds 4 x 4" & 4 x 5.65" filters



LMB 6x6

Key Features:

- Lightweight Matte Box
- Build your own, or pre-built sets available
- Holds 6.6 x 6.6" filters



<u>MMB-2</u>

Key Features:

- Mini Matte Box
- For use with 15mm bars or clamped on to a lens
- Holds 4 x 4" & 4 x 5.65" filters



ARRI Camera Support

Key Features:

- A variety of camera support systems for ARRI's range of cameras
- 19mm & 15mm rod options available
- Individual parts can also be purchased separately

Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN







Key Features:

- A variety of camera support systems for Sony's range of cameras
- 19mm & 15mm rod options available
- Individual parts can also be purchased separately

RED DSMC2 Camera Support

Key Features:

- A variety of camera support systems for RED's DSMC2 range of cameras
- 19mm & 15mm rod options available
- Individual parts can also be purchased separately



Canon Camera Support

Key Features:

- A variety of camera support systems for Canon's range of cameras
- 19mm & 15mm rod options available
- Individual parts can also be purchased separately



<u>Hi-5</u>

- 5th Gen intelligent hand unit for focus pulling
- Improved ECS system performance
- RF-900 Radio Module support
- Cinefade licence support
- Virtual T-Stop & Virtual Focal Length
- New focus rings menu & handling











C-Stand with Sliding Leg (40")

Key Features:

- Available with/without Grip Arm & Head
- 40" Lazy-Leg/Levelling Leg C-stand kit in silver chrome steel
- Most popular size C-Stand for holding flags, floppies & lights
- Rocky Mountain leg C-Stand great on stairs & uneven terrain
- 40" C-Stand has 3 sections, 2 risers. Ø: 35, 30, 25 mm

C-Stand Turtle Base (20")

Key Features:

- 20" short Turtle Base C-Stand in silver chrome steel
- Great for holding low lights, flags and gobos
- Works great with D200 grip head & D500 series grip arms
- Detachable column allows for additional junior accessories.
- 3 sections, 2 risers. Ø: 35, 30, 25 mm. Leg
 Ø: 25 mm/0.98"

Baby Combi Boom Stand (392cm)

Key Features:

- Black aluminium light stand that easily converts to a boom stand
- Levelling leg, nuts & bolts construction, wheels not recommended
- Mobile Column w/double locking T-knobs on the spider castings
- Travels like a traditional light stand complete w/empty sandbag
- 4 sections, 3 risers. Ø: 35, 30, 25, 20 mm. Leg Ø: 20 x 20 mm

Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN







Leftfield Sony Burano System - Expert Cine Kit

Key Features:

- Simplified cage for setting up and constructing different camera configurations
- Sturdy 15mm LWS Baseplate with an ARRI dovetail clamp at the bottom and a BUD dovetail on top
- Accessory mounting made easy with quick-release functionality using dovetail plates and NATO rails
- Axl NATO Monitor provides a robust and efficient system for swift and dependable monitor positioning
- The straight loupe adapter streamlines rigging for handheld tasks, featuring an access port for Touch AF

Leftfield 3 Sony Venice 1 & 2 - Expert Kit

Key Features:

- Completely rigid cage for rigging with detachable base plate for low profile setups on gimbal/steadicam.
- Multiple safety mechanisms for increased reliability on set
- Patented Open•UP quick-release to snap on/off any ARRI standard dovetail
- Top & bottom 15mm LWS rod mount, ARRI rosettes, 1/4" & 3/8" threaded points for accessory mounting.
- DVF-EL200 ready with AxI EVF mount with 3-axis locking knob for fast adjustments.



Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN











Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN

Leftfield 3 Sony FX6 - Expert Kit

Key Features:

- Mini Axl for FX6 monitor with drag adjustment & sag-free support
- Articulating NATO rail adds extra reach & height placement for monitor
- Rigid top plate with 1/4", 3/8", NATO & QD sockets
- Helicoil reinforced threads to prevent stripping and loosening over time
- Patented Open•UP base plate lets you easily lift off the camera from the dovetail
- Sets the camera to 15mm LWS standards with support for rods & accessories

Leftfield 3 RED V-Raptor - Advanced Kit

Key Features:

- Compact & lightweight platform ready to rig with handles, 15mm rods & more
- Sliding dovetail plate allows for faster transition times between setups
- Patented Open•UP quick-release system for snap on, snap off
- Reliable & secure rigging with multiple safety points.
- Compatible with RED Monitor Interface with mount to relocate monitor

Prodigy Air Deflector - Production Kit

Key Features:

- Easily deflects rain and other debris for a clear lens
- Rugged and tough construction for use in any weather conditions
- Includes all necessary cables, accessories & spares
- Complete matte box solution with three stages of filtration & 15mm LWS support

Misfit Kick Mk II 3-Stage Kit

Key Features:

- Tool-less conversion from 2-stage to 3-stage using patented Reveal stage
- Wide field of view with Frame Safe clamp adapters
- Configurable to clip on, rod mount or swing away
- Compatible with quick-release top flag, side flags & hard mattes







Run & Gun Bags

Key Features:

- A variety of camera bags/backpacks to suit cameras of all sizes
- Made of 1000 denier Cordura® fabric
- Reinforced inlays & soft padded interior for maximum protection
- Separate pockets for additional accessories
- Padded handle on top & side, as well as
- padded suede shoulder strap for optimum carrying comfort
 Back flap with zipper for easy attachment to
- Back hap with zipper for easy attachment to trolley
 A divident to sustain a interime
- 3 Adjustable dividers to customise interior layout
- 5 Year warranty



rainCovers

- Universal rain covers for a wide range of Camera Systems
- Protection against inclement weather conditions
- Made of water-resistant fabric with easy access to all essential controls and parts
- Clear Vinyl windows, easy access to the camera handle and perfect for rigs
- Adjustable buckles on rail, when the camera is mounted on a tripod
- Strong Easy-on / Easy-off construction with hook and loop fasteners and black zippers
- Optional camRade rainCover Extension Kit (SKU: CAM-RAINCVR-KIT) available
- One (1) Year Limited Warranty



XINOVATIV



<u>Apollo</u>

Key Features:

- 40" & 52" models available
- Hinged X-Top Shelf with Integrated 3/8"-16 and 1/4"-20 Threaded Rail Plates
- Multiple 3/8"-16 Mounting Points on Cross Bar
- Bottom Shelf internal main-frame system greatly improves workstation stability and payload capacity
- Corner Mould Lock-System for Accessories
- Premium EVO Wheels and Foot Brakes
- Hemmed Top and Bottom Shelf construction for strength and durability
- Integrated Pack Latch System
- Tool-free design packs down for ease of transportation
- Integrated Skate Wheels allow for easy transport while in case-mode



Voyager EVO X

- 30", 36" & 42" models available
- X-Top Shelf with removable Closeout and Integrated Threaded Rail Plates
- Height Adjustable Top Shelf from 38 in. to 48 in.
- Top and Bottom Shelf are equipped with indestructible
- Moulded Corners that interlock in case-mode
- Premium EVO Wheels and Foot Brakes
- Hemmed Top and Bottom Shelf construction for strength and durability
- Integrated Pack Latch System
- Tool-free design packs down for ease of transportation
- Integrated Skate Wheels allow for easy transport while in case-mode





Deploy

Key Features:

- 16U of Standard 19" Rack Space
- Separate Top and Bottom Half
- Collapsible Side Wings (Double Surface Area When Extended)
- Frame with Integrated (Replaceable) 3/8"-16 Mounting Points
- Center Mast Bracket
- Dual Rear Tube Accessory Mounts
- Rear Crossbar with 3/8"-16 and 1/4"-20 Mounting Points
- Screw on Load Handles
- Height Adjustable Quick Grips with 360 Degrees of Rotation
- EVO Wheel System
- 20 in. Rear Wheels for Mobility
- Combo-Locking Bottom Drawer
- Constructed of 5052 and 6061 T6 Aluminium
- Stainless Steel Corrosion Resistant Hardware Throughout



AXIS Command Station

Key Features:

- 2-Stage AXIS Stand
- AXIS Wheel System
- Modular Convi Mounted Accessories
- Tool-free design







C-Stands

Key Features:

- Multiple sizes & configurations available
- Serrated gobo heads ensure a strong bite and prevent side roll.
- Stainless steel helicoil inserts in riser castings.
- V-shaped brass brakes ensure 3-point strong contact.
- Stay put T-handles wont fall out of riser castings.
- Aluminum Magic Gasket ensures once the grip head is engaged it will not slip and load won't sag.
- Knurled baby pins ensure whatever is being mounted stays put.

Combo Stands

Key Features:

- Multiple sizes & configurations available
- Stainless steel helicoil inserts in riser castings.
- V-shaped brass brakes ensure 3-point strong contact.
- Stay put T-handles won't fall out of riser castings.
- Straight tracking, multi-direction locking, non-marking Tente casters. Best braking casters available.
- Spring loaded rising knurled baby pin.
- V-shaped positive lock junior receiver.



Key Features:

- Pop-off wheels allow for quick removal and easy storage.
- Two recessed camera tie-downs.



Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN







Protector Cases

Key Features:

- Multiple sizes available
- Optional pick & pluck/custom foam inserts
- Automatic pressure equalisation valve
- Easy-open latches
- Retractable handle
- Rubber overmolded handles
- Rubber 'O-ring' seal
- Wheels
- Stainless steel padlock hasps
- IP67 rated protection



Storm Cases

Key Features:

- Multiple sizes available
- Optional pick & pluck/custom foam inserts
- Lightweight HPX resin
- Press & pull latches
- Retractable handle
- Rubber overmolded handles
- Rubber 'O-ring' seal
- Vortex® valve
- Wheels
- Plastic padlock hasps
- IP67 rated protection



<u>Air Cases</u>

Key Features:

- Multiple sizes available
- Optional pick & pluck/custom foam inserts
- Automatic pressure equalisation valve
- Conic Curve lid shape
- Easy-open latches
- HPX² super-lightweight resin
- Removable card holder
- Rubber overmolded handles
- Rubber 'O-ring' seal
- Stainless steel padlock hasps
- IP67 rated protection

Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN



Rycote[®]









Windshield Kit 416

Key Features:

- An industry standard for a variety of professional recording situations in broadcast, radio and television
- Designed and optimised for key industry microphones
- Exceptional value without compromising on quality
- Featuring our genuine, patented Lyre® technology

Classic-Softie Windshield

Key Features:

- Providing lightning-fast wind protection, the Softie is designed for modern day ENG and location recording
- available in a large range of sizes to fit most popular shotgun microphones

Camera Mic Shock Mounts

Key Features:

 Professional shock and handling isolation for camera mounted microphones

Video Mic Pro Mini Windjammer

Key Features:

- Designed for Rode Video Mic Pro
- Excellent wind isolation for capturing audio in high-wind
- Made from synthetic fur specifically designed for wind isolation
- Easy-to-fit fur covers for recording

Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN







<u>Dr. Bag</u>

Key Features:

- Multiple sizes available
- Extra wide opening for rapid access
- Protect your camera with mattebox and microphone attached
- Safe-Shell protects your delicate equipment
- Internal LED lighting enables quick view of
- contents
 Ergonomic carrying handle and padded
- shoulder strap
- Removable internal rigid dividers for custom configuration
- Side pockets for additional storage
- Cold-moulded laminate panels provide your gear with extra protection
- Exchangeable logo frame for personal branding
- Easy connection of Snaplock wheel and trolley system for quick transport



Audio Bag

Key Features:

- Multiple sizes available
- Transparent top window allows easy viewing of controls (serviceable up to -5C)
- Main compartment fully padded for ultimate protection
- Removable internal dividers for custom configuration
- Access to all mixer panels side, back and top
- Multiple storage pockets for batteries, cassettes, connectors to enable quick organisation
- Full access for connector cables to devices in the bag's front and rear compartments
- Padded adjustable shoulder strap for comfort whilst working
- Expandable system with snap-on pouches for transmitters or receivers

Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN



$SH \Lambda PE_{R}$



Broadcast Pro Kit for Sony Burano

Key Features:

- Specifically designed for Sony Burano.
- Left and right cage sides.
- Top plate includes front rod bloc. (rods not included).
- Top plate compatible with Sony Burano & FX9 factory top handles.
- Broadcast shoulder plate with handles for Sony Burano.
- Modular top handle made of CNC aluminium & Canadian maple wood, let you place the handgrip in the up, side and down positions
- Left & right New Gen handgrips with ARRI rosettes (MNDA).
- Patented (black) Push-button system for fast adjustment.
- Follow Focus Pro & 4×5.6 Silicone
- Swing-Away Matte box included.

Complete Kit for Sony FX9

Key Features:

- Form fitting top, side & bottom plates connecting together to protect the camera
- Featuring (1) Arri rosette mount & several anti rotating threaded holes (3/8-16, ¼-20)
- Top plate compatible with the native Sony FX9 handle
- Rear insert plate with 3/8-16 & 1/4-20 threaded holes give you more surface to strongly mount the FX9 to your tripod or shoulder mount
- Shoulder baseplate with Arri rosette match the Sony FX9 optical centre
- 15 mm rod block system to attach accessories in the front & back
- Left handle with Arri rosette & Push-Button
 Technology
- Modular top handle made of CNC aluminium & Canadian maple wood, let you place the handgrip in the up, side and down positions
- Top handle also features several 3/8-16 anti rotating threaded holes & a 15 mm EVF rod clamp with a 25 mm Push-button
- Follow Focus pro and Matte box 4X5.6

Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN



Production Kit for RED Komodo

Key Features:

- Designed to match the RED® KOMODO™ & KOMODO™ 6K Production pack optical centre with or without the expander module
 Compatible with KOMODO™ X
- Quick Handle with Rod Bloc & Push-button
- SystemPadded & comfortable Shoulder Pad
- 15 mm LW Baseplate system with adapter plate & sliding dovetail for RED® KOMODO™ camera
- L-shaped top handle with Push-Button Technology
- Top handle made of CNC aluminium & wooden Canadian maple
- Top handle features a tilting bracket to mount a monitor, a video light, or a microphone (up to 4.4 lb)
- Top plate designed with 15 mm LW rod bloc clamp
- Side plates designed with ARRI rosette mount
- Cage, handle & base plate feature several anti rotating threaded holes (3/8-16, ¼-20) SHAPE kit focus single rod follow focus 15 mm LWs
- 2-Stage 4 x 5.6" matte box
- Made of CNC aluminium

Matte Box Swing-Away


- Lightweight and compact design
- Removable silicone shade box
- Swing-away system
- 15mm LWS rod bracket
- Two 4×5.6 filter trays (one rotary)
- Three different configurations in one kit. (Swing-away, straight, clip on)
- 6 removable adapter rings and carbon fibre French flag














Black Pro-Mist Filters

Key Features:

- Available in 4x4.565", 4x4" & a range of diameters for screw-in filters
- Offers all the benefits of the Pro-Mist filter in a more subtle form.
- Highlight flares are controlled.
- Contrast is lowered, but with less lightening of shadows for a more delicate effect
- Creates a soft light "pastel" effect
- Delicate effect with contained highlight flare

Glimmerglass Filters

Key Features:

- Available in 4x4.565", 4x4" & a range of diameters for screw-in filters
- Creates Glowing Highlights
- Softens Wrinkles and Blemishes
- Sparkle Appearance for Added Confidence
- ColorCore® Technology
- Made in the U.S.A



Neutral Density Filters

Key Features:

- Available in 4x4.565", 4x4" & a range of diameters for screw-in filters
- Solid ND filter darkens the image, allowing you to photograph with a longer shutter speed or wider aperture than normally required.
- Providing a 1+ stop exposure reduction, this filter allows you to control depth of field and convey movement more easily.
- Filter does not affect coloration of the image and is ideal for use with other filters.
- Various strengths available

Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN









Advanced Cage Kit for Sony Burano

Key Features:

- Modular Design, Lightweight And User Friendly
- New Rod Holder Design, Mounts To The Top And Side Of The Camera Cage. Flexible Assembly
- Features Arri Standard Rosettes With **Identical Mounting Positions**
- New Adjustable Side Mounting Plate
- Rotatable EVF Bracket

Camera Cage for Sony Venice 2

Key Features:

- **Reliable Power**
- Various Power Outputs •
- Multi-Functional & Integral Design
- Universal Power Input & Output Ports
- Compatible with the original top handle and EVF bracket
- Compatible with the 15mm rod mounting system and supports industry-standard camera builds
- Modular Design

Camera Cage for Alexa Mini/Mini LF

Key Features:

- Protective Armor for Alexa Mini/ Mini LF Minimises Wear and Supports Accessories
- Power Passthrough via Top Handle, Top Plate and Battery Plate Allow Accessories to be Powered Easily
- LWS Base Plate Supports 15mm Rods and Connects to Tilta Standard Dovetails
- Handheld Ready via Integrated Shoulder Pad & Dual Rosettes for Hand Grips
- Compatible with Arri Alexa Mini LF & Arri Alexa Mini



Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN








FLOAT



Key Features:

- Wireless Lens Control System
- High Performance Motor
- Three Main Displays
- Touch Control
- Improved Power Supply
- Multi-Channel Communication



Key Features:

- **Flexible Movements** ٠
- Perfect for the DJI Ronin 4D Camera •
- Quickly switch between the Float stabilising •
- arm & Manfrotto tripod head
- Adjustable



Mirage Matte Box

- Lightweight, portable & modular design ٠
- Fits 4x5.65" filters •
- 95mm standard diameter •
- New insert style filter design
- Modular •





Vocas







Visual Impact Northern Ltd | The Chapel | 192 Manchester Rd | Northwich | Cheshire | CW9 7NN

Production Kit for Sony Burano

Key Features:

- Combines the most popular Vocas accessories for this camera into a complete set
- Features a 15mm Universal Shoulder Base Plate which allows the user to find the optimal balance for the camera on either tripod or when operating it on your shoulder.
- Includes top plate & Universal sliding top handle
- Also comes with a swing-away viewfinder bracket
- The extendable handgrip extender & ergonomic wooden handgrip give you a comfortable way to hold your camera while operating it on your shoulder.

Production Kit for Sony FX6

Key Features:

- Combines the most popular Vocas accessories for this camera into a complete set
- Features a 15 mm Universal Shoulder Base Plate which allows the user to find the optimal balance for the camera on either tripod or when operating it on your shoulder.
- Kit includes the cheese plate for Sony FX6 which fits inside the original Sony top handle
- Also comes with a viewfinder bracket based on a NATO rail to prevent your viewfinder from tilting, resulting in a crooked horizon
- The handgrip extender & ergonomic wooden handgrip give you a comfortable way to hold your camera while operating it on your shoulder.

Production Kit for Sony FX6

Key Features:

- 3 stage 4" x 5.65" matte box
- fits directly on lenses with a front diameter of 143 mm
- Two rear 4" x 4" / 4" x 5,65" combo filter frames, of which one is fully rotatable, and a fixed 4" x 5,65" compartment inside the hood