

VISUAL **i**MPACT

n o r t h e r n

Listed below are some of the current/most popular wireless transmission products on the market. If you can't find what you're looking for on the list below, get in touch and we can put a quote together for you.

Please call or email for the latest pricing.



Transmission (High-Bright Monitor Combo)

Key Features:

- 1080p60 transmission up to 20,000ft
- Seamless auto frequency hopping
- Ultra-low latency
- Gimbal/focus/camera control
- Independent recording/playback
- DJI Master Wheels & Pro ecosystem



Transmission (Standard Combo)

Key Features:

- 1080p60 transmission up to 20,000ft
- Unlimited number of receivers
- Seamless auto frequency hopping
- Ultra-low latency
- Transmit metadata over SDI
- Dual-link SDI + HDMI simultaneous output
- DJI Master Wheels ecosystem

VISUAL **i**MPACT

n o r t h e r n



SMALLHD



Ultra 7 Bolt 6 TX/RX

Key Features:

- Ultra Bright (2300 nits)
- Dust and water resistant with an IP53 rating
- 6G-SDI for modern 4K end-to-end workflows
- Camera Control compatible with all current SmallHD licences
- Function Buttons for tactile control
- Integrated Bolt 6 TX/RX 750 or 1500



Ultra 5 Bolt 6 TX/RX

Key Features:

- Ultra Bright (3000 nits)
- Dust and water resistant with an IP53 rating
- 3G-SDI & 4K HDMI connections
- Camera Control compatible with all current SmallHD licences
- Function Buttons for tactile control
- Integrated Bolt 6 TX/RX 750

VISUAL IMPACT

n o r t h e r n



Bolt 6 XT

Key Features:

- Up to 6GHz support
- Compatible with previous Bolt 4K models
- 750 ft, 1500 ft & 5000+ ft range models available
- 4096x2160p60 max. Resolution (SDI & HDMI)
- SmallHD wireless camera control port
- Transmit to up to 6 receivers (unlimited receivers with the MAX models)



Bolt 6 LT

Key Features:

- Up to 6GHz support
- Compatible with previous Bolt 4K models
- 750 ft, 1500 ft & 5000+ ft range models available
- 3840x2160p30 max. resolution (HDMI only)
- SmallHD wireless camera control possible with additional adaptor
- Transmit to up to 6 receivers (unlimited receivers with the MAX models)



Bolt 6 LT HDMI

Key Features:

- **HDMI only model**
- Up to 6GHz support
- Compatible with previous Bolt 4K models
- 750 ft range
- 3840x2160p30 max. resolution
- SmallHD wireless camera control port
- Transmit to up to 6 receivers

VISUAL **IMPACT**

n o r t h e r n

Ace 750 TX/RX



Key Features:

- 4Kp30 10-bit HDR
- True zero-delay - less than 0.01 seconds of latency
- 6GHz auto frequency-switching
- Range up to 750 feet / 230m
- Multi-receiver capable - up to 6 Receivers per Transmitter
- HDMI only

Serv 4K



Key Features:

- 4K HDR with 10-bit 4:2:2 Streaming
- HEVC and AVC Compression
- 12G-SDI and Loop Through
- 256-bit Military-Grade Encryption
- Cellular Bonding with Serv App

Serv Micro



Key Features:

- **HDMI only model**
- Wirelessly transmit HD video to anyone with the VUER app (MacOS, iOS, Android and Web Browsers)
- Up to 1080p30 resolution
- Up to 15Mbps max. bitrate
- Stream to up to 10 devices simultaneously
- AVC compression
- 4:2:0 8-bit colour space

Link AX



Key Features:

- Expand your production networking capabilities
- WiFi monitoring with multiple Serv devices
- Up to 20 independent viewers using VUER HDR app
- Add an internet connection to enable remote monitoring/C2C workflows

VISUAL **IMPACT**

n o r t h e r n



Storm Cine 8 Wireless Monitor

Key Features:

- 8" wireless HD monitor
- CineOS operating system
- 500ft range (line of sight)
- 1500 nits brightness
- V/Gold/NP-F battery mount options
- Zero latency
- HDR accurate



Storm 072 Wireless Monitor

Key Features:

- 7" wireless HD monitor
- 200m range (line of sight)
- 2000 nits brightness
- V/Gold/NP-F battery mount options
- Zero latency
- HDR accurate



Storm 058 Wireless Monitor

Key Features:

- 5.5" wireless HD monitor
- 200m range (line of sight)
- 1500 nits brightness
- V-mount battery plate
- Zero latency



Storm 3000 DV TX/RX

Key Features:

- HD wireless transmitter/receiver
- 1000m range (line of sight)
- SDI I/O & HDMI input
- V mount built-in
- Zero latency
- HDR accurate

VISUAL **i**MPACT

n o r t h e r n



Storm 3000 TX/RX

Key Features:

- HD wireless transmitter/receiver
- 1000m range (line of sight)
- SDI I/O & HDMI input
- Zero latency
- HDR accurate



Storm 1000 TX/RX

Key Features:

- HD wireless transmitter/receiver
- 350m range (line of sight)
- Internal antennas
- SDI I/O & HDMI input
- Zero latency
- HDR accurate